


02/20/2024	2711 C
<b>SKYLINE</b>	
DRAWN BY: KS	WIND ZONE 394.47#
DATE: 02/20/2024	ROOF ZONE
SHEET	OF
DRAWING NUMBER	*
16-03176-06Q	

DIVISIONS	REVISIONS	BOX LENGTH	DESCRIPTION
231 SUGARCREEK		56'-0"	JOE - Eduardo
233 ARKANSAS CITY			Revision #5
235 SAN JACINTO			
237 WOODLAND			
X 239 OCALA			
241 TROIA			
243 LANCASTER			
245 McMINNVILLE			

Palm Terrace Lot #8	
------------------------	--





FLORIDA ONLY  
 PIERS REQ'D UNDER SIDEWALL PORCH COLUMNS.  
 CONTACT MANUFACTURING DIVISION FOR LOCATIONS.

02/20/2024 2711 C

<b>SKYLINE</b>	
DRAWN BY: KS	WIND ZONE 39#47#
DATE: 02/20/2024	ROOF ZONE 20#
SHEET	OF
DRAWING NUMBER	*
16-03176-06Q	

DIVISIONS	REVISIONS
231 SUGARCREEK	
233 ARKANSAS CITY	
235 SAN JACINTO	
237 WOODLAND	
X 239 OCALA	2 REVISED & UPDATED MSB 09-21-20
241 LEOLA	1 REVERSED & UPDATED MSB 06-24-20
243 LANGCASTER	BOX LENGTH
245 McMINNVILLE	DESCRIPTION
	56'-0" 5616-10K-1B JOE - Eduardo

- I-BEAM PIER SUPPORTS SEE INSTALLATION MANUAL TABLE 6, FIG. 10
  - SIDEWALL PIER SUPPORTS SEE INSTALLATION MANUAL TABLE 5, FIG. 9
  - MATING LINE COLUMN SUPPORTS SEE INSTALLATION MANUAL TABLE 5, FIG. 9 & 10
- NOTE: ALL UTILITY DROP MEASUREMENTS ARE APPROXIMATE.
- THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE OR OBLIGATION. FOR PROPER SETUP AND SITE INSTALLATION REFER TO THE INSTALLATION MANUAL.
  - ALL ASPECTS OF THE FOUNDATION CONSTRUCTION ARE PERFORMED ON-SITE AND ARE SUBJECT TO THE REQUIREMENTS OF THE LOCAL AUTHORITY HAVING JURISDICTION.
  - THE PIER SPACING SHOWN IS SUGGESTIVE ONLY. THE ACTUAL PIER SPACING, AND FOOTING SIZE IS TO BE DETERMINED BASED ON THE ACTUAL SITE CONDITIONS, ROOF LIVE LOAD ZONE AND SOIL BEARING CAPACITY. REFER TO THE INSTALLATION MANUAL FOR FURTHER DETAILS. MAXIMUM PIER SPACING AT MAIN BEAMS SHALL REFER TO THE STATE OR LOCAL INSTALLATIONS REQUIREMENTS MAY BE MORE STRINGENT. 10'-0" c.c. STATE OR LOCAL INSTALLATIONS REQUIREMENTS MAY BE MORE STRINGENT.
  - ALL DIMENSIONS MUST BE VERIFIED BEFORE FOUNDATION CONSTRUCTION IS STARTED. Lot #8